BEST AVAILABLE COPY

Jan. 9. 2006 8:56AM

No. 3379 P. 3/9

Application No.: 10/807,224 Attorney Docket No.: 25384A

IN THE CLAIMS

(Currently Amended) A binder composition for glass fibers comprising:
 a pre-binder composition including a polycarboxy polymer and a crosslinking agent;

a co-binder selected from the group consisting of a dextrin, a modified dextrin, maltodextrin, and mixtures thereof, said co-binder being present in said binder composition in an amount of at least about 50%.

- (Original) The binder composition according to claim 1, wherein said pre-binder composition further includes a catalyst.
- 3. (Currently Amended) The binder composition according to claim 2, wherein said catalyst is at least one member selected from the group consisting of an alkali salt of a phosphorus containing organic acid[[,]] and a fluoroborate compound and mixtures thereof.
- 4. (Original) The binder composition of claim 1, wherein said crosslinking agent is a polyol containing two or more hydroxyl groups.
- (Currently Amended) The binder composition of claim 4, wherein said crosslinking
 agent is at least one polyol selected from the group consisting of triethanolamine and
 glycerol.
- 6. (Original) The binder composition of claim 1, wherein said binder composition has a pre-binder composition:co-binder ratio of from 90:10 to 25:75.

No. 3379 P. 4/9

Application No.: 10/807,224 Attorney Docket No.: 25384A

- 7. (Currently Amended) The binder composition of claim 1, wherein said modified dextrin is at least one member selected from the group consisting of borax modified dextrins and borax-alkali modified dextrins.
- 8.-20. (Canceled)
- 21. (New) The binder composition of claim 1, wherein said polycarboxy polymer is present in said pre-binder composition in an amount from about 1% to about 50% by weight.
- 22. (New) The binder composition of claim 1, wherein said polycarboxy polymer contains carboxylic acid groups and said crosslinking agent contains hydroxyl groups; and wherein a molar ratio of said carboxylic acid groups to said hydroxyl groups is from 1:3 to 5:1.
- 23. (New) The binder composition of claim 2, wherein said catalyst is present in said pre-binder composition in an amount from about 1% to about 20% by weight.
- 24. (New) The binder composition of claim 1, wherein said co-binder is a dextrin.
- 25. (New) The binder composition of claim 24, wherein said dextrin is at least one member selected from yellow dextrins, white dextrins, and British gums.

No. 3379 P. 5/9

Jan. 9. 2006 8:56AM

Application No.: 10/807,224 Attorney Docket No.: 25384A

- 26. (New) The binder composition of claim 1, wherein said modified dextrin is a chemically modified dextrin.
- 27. (New) The binder composition of claim 1, wherein said binder composition has a pre-binder composition:co-binder ratio of 50:50.
- 28. (New) The binder composition of claim 1, wherein said co-binder is present in said binder composition in an amount of at least about 75%.